



Basic guide for manual or auto operation (3000 RPM).

Support arm used to control the pressure from the work head (3000 RPM).

Support for holding the lathe tool and the attachment (3000 RPM).

Use supports to cut on the side of the work head (3000 RPM).



Slide table: supports can rotate around the lathe, double stroke in operation (3000 RPM), in reverse (3000 RPM) (optional) (not in standard mode).

Higher work guide: with several indicators for the maximum diameter of the tool and removal of material (3000 RPM) (not in standard mode).

Higher: Support for holding the lathe tool and the attachment, also lathe tool and lathe tool (3000 RPM) (not in standard mode).

Slide table: supports can rotate around the lathe, double stroke in front of the support.

Support (3000 RPM) (not in standard mode).



Basic for manual or auto operation (3000 RPM) (not in standard mode).

Support arm used to control the pressure from the work head (3000 RPM).

Support for holding the lathe tool and the attachment (3000 RPM).

Use supports to cut on the side of the work head (3000 RPM).

Slide table: supports can rotate around the lathe, double stroke in operation (3000 RPM), in reverse (3000 RPM) (optional) (not in standard mode).



### SOLUZIONI DI SERIE STANDARD ACCESSORIES STANDARD ACCESSORIES ACCESSOIRES FOURNIS EN OPTION

#### Accessories in standard mode

Accessories in standard mode

Accessories in standard mode

Accessories in standard mode

Accessories in standard mode

Accessories in standard mode

Accessories in standard mode

Accessories in standard mode

Accessories in standard mode

Accessories in standard mode

Accessories in standard mode

Accessories in standard mode

Accessories in standard mode

Accessories in standard mode

Accessories in standard mode

Accessories in standard mode

Accessories in standard mode

Accessories in standard mode

Accessories in standard mode

Accessories in standard mode

Accessories in standard mode

Accessories in standard mode

Accessories in standard mode

Accessories in standard mode

Accessories in standard mode

Accessories in standard mode

Accessories in standard mode

Accessories in standard mode

Accessories in standard mode

Accessories in standard mode

Accessories in standard mode

Accessories in standard mode

Accessories in standard mode

Accessories in standard mode

Accessories in standard mode

Accessories in standard mode

Accessories in standard mode

Accessories in standard mode

Accessories in standard mode

Accessories in standard mode

Accessories in standard mode

Accessories in standard mode

Accessories in standard mode

Accessories in standard mode

Accessories in standard mode

Accessories in standard mode

Accessories in standard mode

Accessories in standard mode

Accessories in standard mode

Accessories in standard mode

Accessories in standard mode

Accessories in standard mode

Accessories in standard mode

Accessories in standard mode

Accessories in standard mode

Accessories in standard mode

Accessories in standard mode

Accessories in standard mode

Accessories in standard mode

Accessories in standard mode

Accessories in standard mode

Accessories in standard mode

Accessories in standard mode

Accessories in standard mode

Accessories in standard mode

Accessories in standard mode

Accessories in standard mode

Accessories in standard mode

Accessories in standard mode

Accessories in standard mode

Accessories in standard mode

Accessories in standard mode

Accessories in standard mode

Accessories in standard mode

Accessories in standard mode

Accessories in standard mode

Accessories in standard mode

Accessories in standard mode

### ACCESSORI A RICHIESTA ACCESSORIES AS AN OPTION ACCESSOIRES EN OPTION

#### Accessories in optional mode

Accessories in optional mode

Accessories in optional mode

Accessories in optional mode

Accessories in optional mode

Accessories in optional mode

Accessories in optional mode

Accessories in optional mode

Accessories in optional mode

Accessories in optional mode

Accessories in optional mode

Accessories in optional mode

Accessories in optional mode

Accessories in optional mode

Accessories in optional mode

Accessories in optional mode

Accessories in optional mode

Accessories in optional mode

Accessories in optional mode

Accessories in optional mode

Accessories in optional mode

Accessories in optional mode

Accessories in optional mode

Accessories in optional mode

Accessories in optional mode

Accessories in optional mode

Accessories in optional mode

Accessories in optional mode

Accessories in optional mode

Accessories in optional mode

Accessories in optional mode

Accessories in optional mode

Accessories in optional mode

Accessories in optional mode

Accessories in optional mode

Accessories in optional mode

Accessories in optional mode

Accessories in optional mode

Accessories in optional mode

Accessories in optional mode

Accessories in optional mode

Accessories in optional mode

Accessories in optional mode

Accessories in optional mode

Accessories in optional mode

Accessories in optional mode

Accessories in optional mode

Accessories in optional mode

Accessories in optional mode

Accessories in optional mode

Accessories in optional mode

Accessories in optional mode

Accessories in optional mode

Accessories in optional mode

Accessories in optional mode

Accessories in optional mode

Accessories in optional mode

Accessories in optional mode

Accessories in optional mode

Accessories in optional mode

Accessories in optional mode

Accessories in optional mode

Accessories in optional mode

Accessories in optional mode

Accessories in optional mode

Accessories in optional mode

Accessories in optional mode

Accessories in optional mode

Accessories in optional mode

Accessories in optional mode

Accessories in optional mode

Accessories in optional mode

Accessories in optional mode


Accessories in optional mode

Accessories in optional mode

Accessories in optional mode

Accessories in optional mode

Accessories in optional mode



### DATA TECNICHE - TECHNICAL DATA TECHNISCHE GEGEN - CHARACTERISTICS TECHNICAL

|                        |                      |
|------------------------|----------------------|
| Model                  | 3000 RPM             |
| Power                  | 1.5 kW               |
| Speed                  | 3000 RPM             |
| Weight                 | 15 kg                |
| Dimensions (L x W x H) | 300 x 150 x 150 mm   |
| Material               | Aluminum             |
| Accessories            | See accessories list |
| Warranty               | 2 years              |
| Manufacturer           | Casolin              |
| Contact                | casolin@casolin.it   |

Technical drawing showing the machine's dimensions and weight specifications.





**F-45 Toupie arbre inclinable**

Spindle moulder with tilting shaft  
Fräsmaschinen mit schwenkbaren spindel  
Toupie arbre inclinable



Industria Metal Mecánica S.p.A.  
www.casolin.com

casolin - Distributori e/Concessionari

Germany: G&K - G&K Precision  
Tel. +49 (0) 420 24 24 24 24  
Fax +49 (0) 420 24 24 24  
E-mail: info@casolin.com  
http://www.casolin.com

Tutte le macchine sono traslocabili su più o meno di 1000 kg, in modo da essere trasportate in qualsiasi luogo. Sono inoltre disponibili in versione a motore diesel, a gasolio o a gasolio.

Tutte le macchine sono dotate di un sistema di lubrificazione a circuito chiuso, che garantisce un'assistenza minima e un'assistenza a lungo termine. Sono inoltre disponibili in versione a motore diesel, a gasolio o a gasolio.

Tutte le macchine sono dotate di un sistema di lubrificazione a circuito chiuso, che garantisce un'assistenza minima e un'assistenza a lungo termine. Sono inoltre disponibili in versione a motore diesel, a gasolio o a gasolio.

Tutte le macchine sono dotate di un sistema di lubrificazione a circuito chiuso, che garantisce un'assistenza minima e un'assistenza a lungo termine. Sono inoltre disponibili in versione a motore diesel, a gasolio o a gasolio.

#### F 45 a 500 Watt (Modello) - 1000 kg

Macchina a motore diesel, a gasolio o a gasolio, con motore a benzina o a gasolio.

F 45 a 500 Watt (Modello) - 1000 kg

Macchina a motore diesel, a gasolio o a gasolio, con motore a benzina o a gasolio.

F 45 a 500 Watt (Modello) - 1000 kg

Macchina a motore diesel, a gasolio o a gasolio, con motore a benzina o a gasolio.



- Potenza massima di 500 Watt (Modello) - 1000 kg
- Macchina a motore diesel, a gasolio o a gasolio, con motore a benzina o a gasolio.
- Macchina a motore diesel, a gasolio o a gasolio, con motore a benzina o a gasolio.
- Macchina a motore diesel, a gasolio o a gasolio, con motore a benzina o a gasolio.

- Macchina a motore diesel, a gasolio o a gasolio, con motore a benzina o a gasolio.
- Macchina a motore diesel, a gasolio o a gasolio, con motore a benzina o a gasolio.
- Macchina a motore diesel, a gasolio o a gasolio, con motore a benzina o a gasolio.
- Macchina a motore diesel, a gasolio o a gasolio, con motore a benzina o a gasolio.



F 45 a 500 Watt (Modello) - 1000 kg

F 45 a 500 Watt (Modello) - 1000 kg

F 45 a 500 Watt (Modello) - 1000 kg

F 45 a 500 Watt (Modello) - 1000 kg